# TechnaCurv<sup>®</sup> Full Body Harness

in.

-TIM



mannin

IP



One of the most comfortable and versatile harnesses available today.

The TechnaCurv Full Body Harness throws a curve to the ordinary harness with many new features never before seen in a full body harness:

- Curvilinear Comfort System
- Visco-Elastic Shoulder padding
- Secure-Fit buckles

# The Curvilinear Comfort System

Curvilinear Torso Webbing

• This patent-pending process curves the webbing around the neck area to help prevent chafing and discomfort on the neck that can be caused by some standard harnesses.

# Adjustable Y Back D-Locator Pad


- Allows complete adjustment of the back D-ring to provide proper harness fit
- Assists in moving the shoulder webbing away form the neck, providing additional comfort to the user
- Ribbed web slots in back pad allow for easy back D-Ring adjustment
- A special polymer blend allows for optimal strength and minimal weight, giving you a lighter harness

# Standards

All TechnaCurv Harnesses meet or exceed applicable OSHA regulations and ANSI standards. All harnesses are CSA certified.

# **Teflon® Coated Webbing**

• Provides water, oil, grease, and dirt resistance to increase the life of the product.



- Sorbtek fabric on shoulder and sub-pelvic pads
- Innovative web design
- Variable width webbing

# Secure-Fit Buckle (Optional)

- Designed to ease donning, doffing, and adjustment
- Single hand operation
- Buckle release tabs move in opposite directions and are recessed inside the outer buckle dimensions to prevent accidental disengagement
- Positive engagement windows allow you to see that the buckle is properly engaged. No need to try and listen for a "click" on a noisy job site









Positive Engagement Window

# Variable Width Webbing

- Width varies from 1 5%'' to 2 2%''
- Distributes weight over a wider surface to increase comfort during suspension/work positioning



TEFLON® is a registered trademark of DuPont and is used under license by MSA

## **TechnaCurv Construction Harnesses**

offer all of the exciting features of the TechnaCurv Harness with the added flexibility of incorporating a tool belt. There are two construction harnesses to choose from:

- With integral belt that includes a Dual Durometer back pad for superior comfort
- With Belt Loops for total flexibility of adding any belt of your choice



TechnaCurv Construction Harnesses include integral belt loops.

-	WEBBING	i	STYLE	PADDING	CHEST E	BUCKLE	LEG BUCKLES		BELT	LOOPS	*	. 木	
- Part No.	Hi-Viz	2	Vestype	Shoulder	Secure-Fit	Qwik-Fit	Secure-Fit	Tongue	Qwik-Fit	W/0 Belt	W/ Integral Belt	-) Back	Hip
10053001			Х	Х		Х			Х	Х		1	0
10053002			Х	Х	Х				Х	Х		1	0
10053003			Х	Х		Х		Х		Х		1	0
10053004			Х	Х	Х			Х		Х		1	0
10053005			Х	Х	Х		Х			Х		1	0
10053006			Х	Х		Х			Х	Х		1	2
10053007			Х	Х	Х				Х	Х		1	2
10053008			Х	Х		Х		Х		Х		1	2
10053009			Х	Х	Х			Х		Х		1	2
10053010			Х	Х	Х		Х			Х		1	2
10054402			Х	Х		Х		Х			Х	1	2
10054403			Х	Х	Х			Х			Х	1	2
10054719			Х	Х	Х		Х				Х	1	2
10063654 \$	STD X		Х	Х		Х		Х				1	2
10063656 >	XLG X		Х	Х		Х		Х				1	2

All harnesses listed here are Standard (STD) size. Other sizes are available.

## **Technacurv Hi-Viz Construction Harness**

This harness features:

- Curvilinear Comfort System combines curvilinear torso webbing with an adjustable Y Back D-Locator pad to keep the shoulder webbing away from the neck to prevent chaffing and to provide greater comfort
- Bright green webbing for greater visibility
- Visco Elastic Shoulder Padding automatically adjusts to every curve of your body, offering superior comfort throughout the life of the harness
- Sorbtek fabric on the shoulder padding wicks moisture away from the body
- Integral belt with Dual-Durometer back pad for superior comfort and back support
- Designed with downward adjusting torso straps to ease adjustments
- Soft, flexible webbing allows the harness to move with you as you work for increased comfort
- Utilizes variable-width webbing in the sub-pelvic area to increase comfort and support during suspension/ work positioning
- Additional webbing length to the torso and leg straps provides a wider range of adjustments for the perfect fit
- Two integral Lanyard Clips
- Meets or exceeds OSHA regulations, ANSI Z359.1 and is CSA certified.

\*Webbing does not meet the requirements for high-visibilty clothing as defined in OSHA and ANSI.



**D-Rings** 

TechnaCurv Hi-Viz Construction Harness Part No. 10063654

# **TechnaCurv Harness Ordering Information**

	SIZE				ST	YLE	PAC	DING	CHEST BUCKLE	LE	G BUCKLES	3		D-RINGS	
PART NO.	XSM	STD	XLG	SXL	Vestype	Pullover	Shoulder	Sub-Pelvic	Qwik-Fit	Secure-Fit	Tongue	Qwik-Fit	Back	Hip	Front
10041517		Х			Х				Х			Х	Х		
10041518		Х				Х						Х	Х		
10041519			Х		Х				Х			Х	Х		
10041590			Х			Х						Х	Х		
10041591		Х			Х				Х		Х		Х		
10041592			Х		Х				Х		Х		Х		
10041593		Х				Х					Х		Х		
10041594			Х			Х					Х		Х		
10041595		Х			Х				Х		Х		Х	Х	
10041596			Х		Х				Х		Х		Х	Х	
10041597		Х				Х					Х		Х	Х	
10041598			Х			Х					Х		Х	Х	
10041599		Х			Х		Х		Х		Х		Х		
10041600			Х		Х		Х		Х		Х		Х		
10041601		Х				Х	Х				Х		Х		
10041602			Х			Х	Х				Х		Х		
10041603		Х			Х				Х		Х		Х	Х	
10041604			Х		Х				Х		Х		Х	Х	
10041605		Х				Х					Х		Х	Х	
10041606			Х			Х					Х		Х	Х	
10041607		Х			Х				Х		Х		Х	Х	Х
10041608			Х		Х				Х		Х		Х	Х	Х
10041609		Х				Х					Х		Х	Х	Х
10041610			Х			Х					Х		Х	Х	Х
10041611		Х			Х		Х		Х		Х		Х	Х	Х
10041612			Х		Х		Х		Х		Х		Х	Х	Х
10041613		Х				Х	Х				Х		Х	Х	Х
10041614			Х			Х	Х				Х		Х	Х	Х
10041615		Х			Х		Х	Х	Х	Х			Х	Х	Х
10041616			Х		Х		Х	Х	Х	Х			Х	Х	Х
10041617		Х				Х	Х	Х		Х			Х	Х	Х
10041618			Х			Х	Х	Х		Х			Х	Х	Х

# **TechnaCurv Tower Harness**

In addition to the exciting features of the TechnaCurv Harness, the TechnaCurv Tower Harness:

- Uses variable width webbing in the sub-pelvic area to increase comfort and support when work positioning
- D-ring position is adjustable
- Incorporates an integral body belt and a removable saddle
  - ✓ Body Belt and saddle are constructed using a dual durometer pad and Sorbtek fabric for ultimate comfort
  - ✓ Body Belt includes two side D-rings and two accessory rings
  - ✓ Removable Saddle includes two side D-rings
    ◆ Saddle height is adjustable






#### All Technacurv Tower Harnesses include body belt and saddle.

s		YLE	PADE	DING	CHEST I	BUCKLE	LEG BUCKLES			Ň	齐	木
Part No.	Pullover	Vestype	Shoulder	Sub-Pelvic	Secure-Fit	Qwik-Fit	Secure-Fit	Tongue	Qwik-Fit	Back	Chest	Hip
10048342	Х		Х	Х		Х	Х			1	1	2
10048344		Х	Х	Х		Х	Х			1	1	2
10048346	Х		Х			Х		Х		1	1	2
10048348		Х	Х			Х		Х		1	1	2
1008350	Х					Х			Х	1	1	2
1008432		Х				Х			Х	1	1	2

All harnesses listed here are Standard (STD) size. Other sizes are available.

## **D-Rings**



- ATO orders ready to ship in 2-5 days after receipt of order.
- Harnesses ordered using the ATO System are non-returnable.
- If a Vest Style Harness with a Chest D-ring is selected, the Secure-Fit Buckle is not available as an option for the Chest Strap. (All Tower Style Harnesses include a Chest D-ring.)
- Visco-Elastic Shoulder Pads (Optional)
- More comfortable than traditional foam padding
- Will not break down over time, offering superior comfort throughout the life of the harness
- · Automatically adjusts to every curve of your body
- Compression molding process allows for the incorporation of comfort ridges. These comfort ridges provide more air circulation around the padding to keep you cooler.



Comfort Ridges

# **Covered Label Pack**

· Protects labels from potential environmental or work site damage

as an integral shock absorber.

listed in ATO are not available on Tower Harness.)

- Prolongs label and product life
- Provides a convenient location for the medical ID information pack



# **Medical Information Kit (Optional)**

 Provides necessary contact and medical information in case of an emergency

The TechnaCurv Full Body Harness is also available with lanyard clips and tool belt

support straps. The lanyard clip provides a convenient location to connect your lanyard and keep it out of the way when it is not in use. The tool belt support straps allow you to integrate vour tool belt or one of a variety of belts from MSA, including the Occidental Tool Belts and Modular tool

belts, to the harness.

• Tower Harness Styles include back pad, tool belt and saddle. (Tool Belt options

• Only D-ring Configuration Options 3 and 4 are available on the Tower Harness Style.





Occidental Tool Belt (Optional)



## **Technacury Picker's Harness**

Available with all the exciting features of the TechnaCurv Harness, plus:

- 18" Integral Dorsal D-Extension with velcro closure provides easy access to the Back D-ring
- Dorsal D-Extension available as option 3 under the Dorsal D-option of the Assemble-to-Order Matrix

Part No.	Description
ANGHN151221331002	TechnaCurv Picker's Har



Harness Part No. ANGHN151221331002

## TechnaCurv "No Metal Above the Waist" Harnesses

This harness was designed to keep all metal below the waist to reduce the potential for arc flashes. This potential is further reduced by adding the plastic covers over the metal components of the harness. In addition to the many features of the TechnaCurv Full Body Harness, the No Metal Above the Waist TechnaCurv Harness adds the following features:

- · Fabric dorsal connector
- Fabric positioning loops
- · Hardware covers on metal components
- Approximate weight is just 3.5 lbs
- Meets or exceeds OSHA, ANSI Z359.1, and is CSA certified

## TechnaCurv "No Metal Above the Waist" Harnesses

	STYLE	STYLE LEG BUCKLES					
Part No.	Pullover	Qwik-Fit	Secure-Fit	Tongue	Back		
10050125	Х	Х			1		
10053251	Х			Х	1		
10059270	Х		Х		1		

mess



ATTACHMENT POINT



"No Metal Above the Waist" TechnaCurv Harness Part No. 10050125

Note: This Bulletin contains only a general description of the products shown. While uses and performance capabilities are described, under no circumstances shall the products be used by untrained or unqualified individuals and not until the product instructions including any warnings or cautions provided have been thoroughly read and understood. Only they contain the complete and detailed information concerning proper use and care of these products.



**Corporate Headquarters** P.O. Box 426, Pittsburgh, PA 15230 USA Phone 412-967-3000 www.MSAnet.com

**U.S. Customer Service Center** Phone 1-866-MSA-1001 1-800-967-0398 Fax MSA Canada Phone 416-620-4225

Fax

416-620-9697

MSA Mexico 52-55 21 22 5770 Phone 52-55 5359 4330 Fax **MSA** International

Phone 412-967-3354 FAX 412-967-3451



ID 2300-46-MC / Nov 2006 © MSA 2006 Printed in U.S.A