DuPont Personal Protection Lakeland Cross Over Guide

Lakeland Style	DuPont Style	Difference
0301 Tyvek® Pants	TY350S Tyvek® Pants	
05201 Tychem® QC Shirt	QC303S Tychem® QC Shirt	Lakeland: 50/case DuPont: 12/case
05301 Tychem® QC Pants	QC350S Tychem® QC Pants	Lakeland: 50/case DuPont: 12/case
05412 Tychem® QC Coverall	QC120S Tychem® QC Coverall	Lakeland: 25/case DuPont: 12/case
05414 Tychem® QC Coverall	QC122S Tychem® QC Coverall	Lakeland: 25/case DuPont: 12/case
05417 Tychem® QC Coverall	QC125S Tychem® QC Coverall	Lakeland: 25/case DuPont: 12/case
05428 Tychem® QC Coverall	QC127S Tychem® QC Coverall	Lakeland: 25/case DuPont: 12/case
05901 Tychem® QC Shoe Cover	No DuPont Equivalent	
05903 Tychem® QC Boot Cover	No DuPont Equivalent	
0601 Tyvek® Bib Apron	TY273B Tyvek® Bib Apron	
0650 Tychem® QC Bib Apron	QC273B Tychem® QC Bib Apron	
0701 Tyvek® Hood	TY657S Tyvek® Hood	Lakeland: Drawstring Closure Under Neck, White, 250/Case DuPont: Elastic Face Opening, White, 100/Case
0713 Tyvek® Hood	TY657S Tyvek® Hood	Lakeland: 250/case DuPont: 100/case
0802-21 Tyvek® Bouffant	IC729S Tyvek® IsoClean Bouffant	Lakeland: 500/case DuPont: 250/case
0802-24 Tyvek® Bouffant	IC729S Tyvek® IsoClean Bouffant	Lakeland: 24" opening, 500/case DuPont: 21" opening, 250/case
0850-18 Tyvek® Sleeve	TY500S Tyvek® Sleeve	
0860-18 Tychem® QC Sleeve	QC500B Tychem® QC Sleeve	Lakeland: Serged Seams, Length 18" DuPont: Bound Seams, Length 18 3/4"
0901 Tyvek® Shoe Cover	TY450S Tyvek® Shoe Cover	Lakeland: 400/case (200 pair) DuPont: 200/case (100 pair)
0901NS Tyvek® Shoe Cover	FC450S Tyvek® FC Shoe Cover	Lakeland: 400/case (200 pair), white DuPont: 200/case (100 pair), gray
0903 Tyvek® Boot Cover	TY452S Tyvek® Boot Cover	Lakeland: 400/case (200 pair) DuPont: 100/case (50 pair)
0903NS Tyvek® Boot Cover	FC454S Tyvek® FC Boot Cover	Lakeland: 400/case (200 pair), white DuPont: 100/case (50 pair), gray
0904 Tyvek® Shoe Cover	FC450S Tyvek® FC Shoe Cover	Lakeland: 400/case (200 pair), white DuPont: 200/case (100 pair), gray

Lakeland Style	DuPont Style	Difference
0905 Tyvek® Boot Cover	FC454S Tyvek® FC Boot Cover	Lakeland: 400/case (200 pair), white DuPont: 200/case (100 pair), gray
01101 Tyvek® Lab Coat	TY212S Tyvek® Lab Coat	
01104 Tyvek® Lab Coat	TY212S Tyvek® Lab Coat	Lakeland: Elastic wrist DuPont: Open wrist
01112 Tyvek® Frock	TY211S Tyvek® Frock	
01140 Tyvek® Lab Coat	TY210S Tyvek® Frock	
01190 Tyvek® Frock	TY216S Tyvek® Frock	
01201 Tyvek® Shirt	TY303S Tyvek® Shirt	
01301 Tyvek® Pants	TY350S Tyvek® Pants	
01412 Tyvek® Coverall w/ Comfort Fit Design 01414 Tyvek® Coverall w/ Comfort	TY120S Tyvek® Coverall w/ Comfort Fit Design TY122S Tyvek® Coverall w/	
Fit Design 01417 Tyvek® Coverall w/ Comfort	Comfort Fit Design TY125S Tyvek® Coverall w/	
Fit Design 01427 Tyvek® Coverall w/ Comfort	Comfort Fit Design TY127S Tyvek® Coverall w/	Lakeland: Open wrist, open ankle
Fit Design 01428 Tyvek® Coverall	Comfort Fit Design TY127S Tyvek® Coverall w/ Comfort Fit Design	DuPont: Elastic wrist, elastic ankle
01501 Tyvek® Smock	TY210S Tyvek® Frock	Lakeland: Ties, 50/case DuPont: Snaps (5), 30/case
40110 ChemMAX® 4 Coverall	LV125T Tychem® LV Coverall	Lakeland: Zipper and Single Storm Flap, 6/case DuPont: Zipper and Double Storm Flap with Double Sided Adhesive Tape, 2/case
41130 ChemMAX® 4 Coverall	BR127T Tychem® BR Coverall	Lakeland: Zipper and Single Storm Flap, 6/case DuPont: Zipper and Double Storm Flap with Double Sided Adhesive Tape, 2/case
41151 ChemMAX® 4 Coverall	BR128T Tychem® BR Coverall	Lakeland: Attached Socks (no boot flaps), Zipper and Single Storm Flap, 6/case DuPont: Attached Socks and Boot Flaps, Zipper and Double Storm Flap with Double Sided Adhesive Tape, 2/case
42165 ChemMAX® 4 Coverall	LV128T Tychem® LV Coverall	Lakeland: Color: Tan, 6/case DuPont: Color: Olive Drab, 2/case
42150 ChemMAX® 4 Coverall	LV128T Tychem® LV Coverall	Lakeland: Standard Fit Hood, Color: Tan, Attached Socks (no boot flaps), Zipper and Single Storm Flap, 6/case DuPont: Respirator Fit Hood, Color: Olive Drab, Attached Socks and Boot Flaps, Zipper and Double Storm Flap with Double Sided Adhesive Tape, 2/case
44201 Tychem® SL Shirt	QC303S Tychem® QC Shirt	Lakeland: Bound Seams, 30/case DuPont: Serged Seams, 12/case
44301 Tychem® SL Pants	QC350S Tychem® QC Pants	Lakeland: Bound Seams, 30/case, white DuPont: Serged Seams, 12/case, yellow
44412 Tychem® SL Coverall	SL120B Tychem® SL Coverall	
44414 Tychem® SL Coverall	SL122B Tychem® SL Coverall	
44417 Tychem® SL Coverall	SL125B Tychem® SL Coverall	
44427 Tychem® SL Coverall	SL127B Tychem® SL Coverall	Lakeland: Open Wrist, Open Ankle DuPont: Elastic Wrist, Elastic Ankle

Lakeland Style	DuPont Style	Difference
44428 Tychem® SL Coverall	SL127B Tychem® SL Coverall	
44601 Tychem® SL Bib Apron	SL274B Tychem® SL Bib Apron	Lakeland: 100/case DuPont: 50/case
44850 Tychem® SL Sleeve	SL500B Tychem® SL Sleeve	
44901 Tychem® SL Shoe Cover	No DuPont Equivalent	
44903 Tychem® SL Boot Cover	No DuPont Equivalent	
527 Tychem® QC Apron, Rear Entry	QC275B Tychem® QC Apron, Rear Entry	Lakeland: 50/case DuPont: 25/case
55201 Tychem® QC Shirt	QC303S Tychem® QC Shirt	Lakeland: Bound seams, 50/case DuPont: Serged Seams, 12/case
55301 Tychem® QC Pants	QC350S Tychem® QC Pants	Lakeland: Bound seams, 50/case DuPont: Serged Seams, 12/case
55412 Tychem® QC Coverall	QC120B Tychem® QC Coverall	Lakeland: Zipper w/no storm flap, 25/case DuPont: Zipper w/single storm flap, 12/case
55414 Tychem® QC Coverall	QC122B Tychem® QC Coverall	Lakeland: Zipper w/no storm flap, 25/case DuPont: Zipper w/single storm flap, 12/case
55417 Tychem® QC Coverall	QC125B Tychem® QC Coverall	Lakeland: Zipper w/no storm flap, 25/case DuPont: Zipper w/single storm flap, 12/case
55428 Tychem® QC Coverall	QC127B Tychem® QC Coverall	Lakeland: Zipper w/no storm flap, 25/case DuPont: Zipper w/single storm flap, 12/case
55453 Tychem® QC Encapsulated Level B Suit	C3526T Tychem® CPF 3 Encapsulated Level B, Rear Entry	Lakeland: Tychem® QC fabric, Mylar® Visor, Bound seams, Color: Yellow, Zipper w/no storm flap DuPont: Tychem® CPF 3 fabric, Pentagon 1 ply Visor, Taped Seams, Color: Tan, Zipper and double storm flap
55455 Tychem® QC Encapsulated Level B Suit	C3526T Tychem® CPF 3 Encapsulated Level B, Rear Entry	Lakeland: Tychem® QC fabric, Front Entry, Mylar® Visor, Bound Seams, Color: Yellow, Zipper: no storm flap, 25/case DuPont: Tychem® CPF 3 fabric, Rear Entry, Pentagon 1 Ply Visor, Color: Tan, Zipper and double storm flap, 6/case
60132 Tychem® F Coverall	TF145T Tychem® F Coverall	
60151 Tychem® F Coverall	TF169T Tychem® F Coverall	
70100 Tychem® QC Coverall	QC125T Tychem® QC Coverall	Lakeland; Open Wrist and Ankle, No storm flap, 6/case DuPont: Elastic wrist and ankle, Storm Flap, 4/case
	QC120B Tychem® QC Coverall	Lakeland: Taped seams, No storm flap, 6/case DuPont: Bound seams, Storm Flap, 4/case
70110 Tychem® QC Coverall	QC125T Tychem® QC Coverall	Lakeland: No storm flap, 6/case DuPont: Storm Flap, 4/case
70120 Tychem® QC Coverall	QC127T Tychem® QC Coverall	Lakeland; Open Wrist and Ankle, No storm flap, 6/case DuPont: Elastic wrist and ankle, Storm Flap, 4/case
70130 Tychem® QC Coverall	QC127T Tychem® QC Coverall	Lakeland: No storm Flap, 6/case DuPont: Storm Flap, 4/case
70140 Tychem® QC Coverall	QC122T Tychem® QC Coverall	Lakeland: Open Wrist, No Storm Flap, 6/case DuPont: Elastic wrist, Storm Flap, 4/case

Lakeland Style	DuPont Style	Difference
70150 Tychem® QC Coverall	QC122T Tychem® QC Coverall	Lakeland; Open Wrist and Ankle, No storm flap, 6/case DuPont: Elastic wrist and ankle, Storm Flap, 4/case
70250 Tychem® QC Jacket	QC210S Tychem® QC Lab Coat	Lakeland: Jacket, Taped seams, Elastic wrists, Zipper and Storm Flaps, 6/case DuPont: Lab Coat, Serged seams, Snaps, 12/case
70300 Tychem® QC Pants	QC350S Tychem® QC Pants	Lakeland: taped seams, 6/case DuPont: serged seams, 12/case
70710 Tychem® QC Hood	TY657S Tyvek® Hood	Lakeland: Tychem® QC fabric, taped seams, Yellow, 12/case DuPont: Tyvek® , Serged seams, White, 100/case
	C3651T Tychem® CPF 3 Hood	Lakeland: Tychem® QC fabric, yellow, elastic face opening, 12/case DuPont: Tychem® CPF 3 fabric, Tan, 1 ply visor, 6/case
70765 Tychem® QC Sleeve	QC500B Tychem® QC Sleeve	Lakeland: 12 pair/case DuPont: 100 pair/case
72110 Tychem® SL Coverall	SL125T Tychem® SL Coverall	
72120 Tychem® SL Coverall	SL127T Tychem® SL Coverall	Lakeland: Open wrist and ankle DuPont: Elastic wrist and ankle
72130 Tychem® SL Coverall	SL127T Tychem® SL Coverall	
72140 Tychem® SL Coverall	SL122T Tychem® SL Coverall	Lakeland: Open Wrist DuPont: Elastic wrist
72150 Tychem® SL Coverall	SL122T Tychem® SL Coverall	
72165 Tychem® SL Coverall	SL128T Tychem® SL Coverall	Lakeland: Double storm flap, Hook & loop closure DuPont: Single storm flap, double sided adhesive tape
72400 Tychem® SL Encapsulated Level B Suit, Rear Entry	C3526T Tychem® CPF 3 Encapsulated Level B, Rear Entry	Lakeland: Tychem® SL fabric, White, Socks and boot flaps, Single storm flap DuPont: Tychem® CPF 3 fabric, Tan, Double storm flap
72440 Tychem® SL Encapsulated Level B Suit, Front Entry	C3527T Tychem® CPF 3 Encapsulated Level B, Front Entry	Lakeland: Tychem® SL fabric, White, Single storm flap, 3/case DuPont: Tychem® CPF 3 fabric, Tan, Double storm flap, 6/case
72450 Tychem® SL Encapsulated Level B Suit, Rear Entry	C3528T Tychem® CPF 3 Encapsulated Level B, Rear Entry	Lakeland: Tychem® SL fabric, White, Single storm flap, 3/case DuPont: Tychem® CPF 3 fabric, Tan, Double storm flap, 6/case
72710 Tychem® SL Hood	C3651T Tychem® CPF 3 Hood	Lakeland: Tychem® SL Fabric, White, elastic face opening, 12/case DuPont: Tychem® CPF 3 fabric, Tan, 1 ply visor, 6/case
72712 Tychem® SL Hood	C3651T Tychem® CPF 3 Hood	Lakeland: Tychem® SL Fabric, White, Hook & Loop Straps under Arm DuPont: Tychem® CPF 3 fabric, Tan, Wraparound Waist
72735 Tychem® SL Bib Apron	SL274B Tychem® SL Bib Apron	Lakeland: Length: at knee, 12/case DuPont: Length: above knee, 50/case
72740 Tychem® SL Boot Cover Elastic at Top, 12 Pair per Case	No DuPont Equivalent	
72765 Tychem® SL Sleeve	SL500B Tychem® SL Sleeve	Lakeland: Taped seams, 18", 12 pair/case DuPont: Bound seams, 18 3/4", 200/case
73130 Tychem® SL Coverall	SL127T Tychem® SL Coverall	Lakeland: gray DuPont: White

Lakeland Style	DuPont Style	Difference
73150 Tychem® SL Coverall	SL122T Tychem® SL Coverall	Lakeland: gray DuPont: White
95493 Nylon Training Suit, Front Entry	TK586S Tychem® TK Training Suit, Front Entry	Lakeland: Nylon, Gray, No boot flaps, Single storm flap DuPont: Tychem® TK, Lime Yellow, boot flaps, double storm flap
95494 Nylon Training Suit, Rear Entry	TK587S Tychem® TK Training Suit, Rear Entry	Lakeland: Nylon, Gray, No boot flaps, Single storm flap DuPont: Tychem® TK, Lime Yellow, boot flaps, double storm flap
BR100 Tychem® BR Coverall	BR125T Tychem® BR Coverall	Lakeland: Open wrist and ankle, single storm flap, 6/case DuPont: Elastic wrist and ankle, double storm flap, 2/case
BR110 Tychem® BR Coverall	BR125T Tychem® BR Coverall	Lakeland: Single storm flap, 6/case DuPont: double storm flap, 2/case
BR115 Tychem® BR Coverall	BR128T Tychem® BR Coverall	Lakeland: collar, no boot flaps, single storm flap, 6/case DuPont: boot flaps, double storm flap, respirator fit hood, 2/case
	BR125T Tychem® BR Coverall	Lakeland: attached socks, single storm flap, 6/case DuPont: elastic ankle, double storm flap, 2/case
BR130 Tychem® BR Coverall	BR127T Tychem® BR Coverall	Lakeland: Single storm flap, 6/case DuPont: double storm flap, 2/case
BR140 Tychem® BR Coverall	BR128T Tychem® BR Coverall	Lakeland: standard fit hood, open wrist, no boot flaps, single storm flap, 6/case DuPont: Respirator fit hood, elastic wrist, boot flaps, double storm flaps, 2/case
BR150 Tychem® BR Coverall	BR128T Tychem® BR Coverall Respirator Fit Hood	Lakeland: standard fit hood, no boot flaps, single storm flap, 6/case DuPont: Respirator fit hood, boot flaps, double storm flaps, 2/case
BR155 Tychem® BR Front Entry Expanded Back Coverall	BR527T Tychem® BR Encapsulated Level B, Front Entry	Lakeland: no visor, no Boot Flaps, Single Storm Flap, No vents needed, 6 per case DuPont: Heptagon 1 Ply Visor, Attached Socks and Boot Flaps, Zipper And Double Storm Flap with Hook-and- Loop Closure, 2 Exhaust Vents, 1 per Case
BR160 Tychem® BR Coverall	BR128T Tychem® BR Coverall	Lakeland: Standard Fit Hood, Single Storm Flap, 6/case DuPont: Respirator Fit Hood, Zipper And Double Storm Flap With Double Sided Adhesive Tape, 2 per Case
BR165 Tychem® BR Coverall	BR128T Tychem® BR Coverall	Lakeland: Double Storm Flap With Hook and Loop Closure, 6 per case DuPont: Double Storm Flap With Double Sided, Adhesive Tape, 2 per Case
BR170 Tychem® BR Coverall	BR128T Tychem® BR Coverall	Lakeland: Standard Fit Hood, Elastic Wrist with Splash Guards, Single Storm Flap, 6 per case DuPont: Respirator Fit Hood, Zipper And Double Storm Flap With Double Sided Adhesive Tape, 2 per Case
BR250 Tychem® BR Jacket	LV670T Tychem® LV Jacket	Lakeland: Collar, Yellow DuPont: Mandarin Collar, Olive Drab
BR300 Tychem® BR Pants	LV360T Tychem® LV Bib Overall	Lakeland: Pants, Yellow, Elastic Waist DuPont: Olive Drab, Adj. Straps With Buckles
BR320 Tychem® BR Bib Overall	LV360T Tychem® LV Bib Overall	Lakeland: Yellow DuPont: Olive Drab

Lakeland Style	DuPont Style	Difference
Level B	Level B	Lakeland: Flat Back, Single Storm Flap, 1 exhaust port with shroud, air tube inlet DuPont: Expanded Back, Double Storm Flap With Hookand-Loop Closure, 2 Exhaust Vents
BR440 Tychem® BR Encapsulated Level B	BR527T Tychem® BR Encapsulated Level B	
BR450 Tychem® BR Encapsulated Level B	BR528T Tychem® BR Encapsulated Level B	
BR714 Tychem® BR Hood	BR651T Tychem® BR Hood	Lakeland: 2" hook-and-loop straps under arms with 4" hook side straps, 6/case DuPont: Wrap Around Hook-and-Loop Closure, 2/Case
BR730 Tychem® BR Apron, Rear Entry	C3275T Tychem® CPF 3 Apron, Rear Entry	Lakeland: Tychem® BR fabric, Yellow, 12 per Case DuPont: Tychem® CPF 3 fabric, Tan, 6 per Case
BR740 Tychem® BR Boot Cover Elastic at Top, 12 pair per case	No DuPont Equivalent	
BR765 Tychem® BR Sleeve	No DuPont Equivalent	Lakeland: Yellow, 12 per Case DuPont: White, 200 per Case
BR980 Tychem® BR NFPA 1994 Class 3 Cert. Coverall w/Separate	DuPont does not offer an NFPA 1994 Class 3 garment at this time.	
Hood	BR611T Tychem® BR NFPA 1994 Class 2 Cert. Coverall	Lakeland: NFPA 1994 Class 3, w/Separate Hood Attached Kevlar®/Viton®/Silver Shield® Gloves w/Ring and Clamp Assembly DuPont: NFPA 1994 Class 2, tight fit Respirator Hood, Attached Neoprene / Ansell Barrier® Gloves w/Attached Molded Conical Cuff for Jam Fit Glove Assembly
	If NFPA certification is not required, C3185T Tychem® CPF 3 Coverall option HM or HR	Lakeland: Tychem® BR fabric, NFPA 1994 Class 3, Coverall W/ Separate Hood, Collar (on coverall), Yellow, Attached Kevlar® / Viton® / Silver Shield® Gloves With Ring and Clamp Assembly, Hood has Adjustable 1" Waist Belt DuPont: Tychem® CPF 3 fabric, Respirator Fit Hood, Tan, Attached Neoprene / Ansell Barrier® Gloves With Attached Molded Conical Cuff For Jam Fit Glove Assembly
C1B412-Y ChemMAX® 1 Coverall	QC120B Tychem® QC Coverall	Lakeland: no storm flap, 25 per Case DuPont: Single Storm Flap With Double Sided Adhesive Tape, 12 per Case
C1B414-Y ChemMAX® 1 Coverall	QC122B Tychem® QC Coverall	Lakeland: no storm flap, 25 per Case DuPont: Single Storm Flap with Double Sided Adhesive Tape, 12 per Case
C1B417-Y ChemMAX® 1 Coverall	QC125B Tychem® QC Coverall	Lakeland: no storm flap, 25 per Case DuPont: Single Storm Flap with Double Sided Adhesive Tape, 12 per Case
C1B428-Y ChemMAX® 1 Coverall	QC127B Tychem® QC Coverall	Lakeland: no storm flap, 25 per Case DuPont: Single Storm Flap with Double Sided Adhesive Tape, 12 per Case
C1S412-Y ChemMAX® 1 Coverall	QC120S Tychem® QC Coverall	Lakeland: 25 per Case DuPont: 12 per Case
C1S414-Y ChemMAX® 1 Coverall	QC122S Tychem® QC Coverall	Lakeland: 25 per Case DuPont: 12 per Case
C1S417-Y ChemMAX® 1 Coverall	QC125S Tychem® QC Coverall	Lakeland: 25 per Case DuPont: 12 per Case

Lakeland Style	DuPont Style	Difference
C1S428-Y ChemMAX® 1 Coverall	QC127S Tychem® QC Coverall	Lakeland: 25 per Case DuPont: 12 per Case
C1T100 ChemMAX® 1 Coverall	QC125T Tychem® QC Coverall	Lakeland: Open Wrist, Open Ankle, 6 Per Case DuPont: Elastic Wrist, Elastic Ankle, 4 per Case
C1T130 ChemMAX® 1 Coverall	QC127T Tychem® QC Coverall	Lakeland: 6 per Case DuPont: 4 per Case
C1T150 ChemMAX® 1 Coverall	QC122T Tychem® QC Coverall	Lakeland: 6 per Case DuPont: 4 per Case
C2B412-W ChemMAX® 2 Coverall	SL120B Tychem® SL Coverall	
C2B414-W ChemMAX® 2 Coverall	SL121B Tychem® SL Coverall	
C2B417-W ChemMAX® 2 Coverall	SL125B Tychem® SL Coverall	
C2B428-W ChemMAX® 2 Coverall	SL127B Tychem® SL Coverall	
C2B412-W ChemMAX® 2 Coverall	SL120B Tychem® SL Coverall	
C2B414-W ChemMAX® 2 Coverall	SL121B Tychem® SL Coverall	Lakeland: Standard Fit Hood DuPont: Collar
C2B417-W ChemMAX® 2 Coverall	SL125B Tychem® SL Coverall	
C2B428-W ChemMAX® 2 Coverall	SL127B Tychem® SL Coverall	
C2T100 ChemMAX® 2 Coverall	SL120T Tychem® SL Coverall	Lakeland: 6 per Case DuPont: 4 per Case
C2T110 ChemMAX® 2 Coverall	SL125T Tychem® SL Coverall	
C2T130 ChemMAX® 2 Coverall	SL127T Tychem® SL Coverall	
C2T150 ChemMAX® 2 Coverall	SL122T Tychem® SL Coverall	
C3T100 ChemMAX® 3 Coverall	C3125T Tychem® CPF 3 Coverall	Lakeland: Gray, Open Wrists, Open Ankles DuPont: Tan, Elastic Wrist, Elastic Ankle
C3T110 ChemMAX® 3 Coverall	C3125T Tychem® CPF 3 Coverall	Lakeland: Gray DuPont: Tan
C3T130 ChemMAX® 3 Coverall	C3127T Tychem® CPF 3 Coverall	Lakeland: Gray DuPont: Tan
C3T150 ChemMAX® 3 Coverall	C3122T Tychem® CPF 3 Coverall	Lakeland: Gray DuPont: Tan
C3T151 ChemMAX® 3 Coverall	C3128T Tychem® CPF 3 Coverall	Lakeland: Gray, no boot flaps DuPont: Tan, Boot Flaps
C3T160 ChemMAX® 3 Coverall	C3128T Tychem® CPF 3 Coverall	Lakeland: Standard Fit, Gray DuPont: Respirator Fit Hood, Tan
C3T165N ChemMAX® 3 NFPA 1992 Cert. Coverall	LV611T Tychem® LV NFPA 1994 Class 2 and NFPA 1992 Coverall	Lakeland: NFPA 1992 Cert., gray, respirator fit hood, elastic wrists DuPont: NFPA 1992 Cert. & NFPA 1994 Class 2 Cert., olive drab, tight fit respirator hood, attached Neoprene /Ansell Barrier® gloves
	C3198T Tychem® CPF 3 NFPA 1992 Coverall	Lakeland: Gray DuPont: Tan
	C3199T Tychem® CPF 3 NFPA 1992 Coverall	Lakeland: Gray DuPont: Tan
C3T400 ChemMAX® 3 Encapsulated Level B, Rear Entry	C3526T Tychem® CPF 3 Encapsulated Level B, Rear Entry	Lakeland: Gray, Boot Flaps, Single Storm Flap 1 Exhaust Port with shroud and Air Tube Inlet DuPont: Tan, Double Storm Flap With Hook-and-Loop Closure

Lakeland Style	DuPont Style	Difference
C3T450 ChemMAX® 3 Encapsulated Level B, Rear Entry	C3528T Tychem® CPF 3 Encapsulated Level B, Rear Entry	Lakeland: Gray, Boot Flaps, Single Storm Flap 2 Exhaust Ports with shroud & Air Tube Inlet, 3 per case DuPont: Tan, Double Storm Flap With Hook-and-Loop Closure, 1 Exhaust Vent, 6 per case
LV130 Tychem® LV Coverall	LV127T Tychem® LV Coverall	Lakeland: Standard Fit Hood, Single Storm Flap, 6/case DuPont: Respirator Fit Hood, Double Storm Flap, 2/case
LV150 Tychem® LV Coverall	LV128T Tychem® LV Coverall	Lakeland: Standard Fit Hood, no Boot Flaps, Single Storm Flap, 6 per case DuPont: Respirator Fit Hood, Boot Flaps, Double Storm Flap, 2 per case
LV151 Tychem® LV Coverall	LV128T Tychem® LV Coverall	Lakeland: no Boot Flaps, Single Storm Flap, 6 per case DuPont: Boot Flaps, Double Storm Flap, 2 per case
LV166 Tychem® LV Coverall	LV127T Tychem® LV Coverall	Lakeland: 6 per case DuPont: 2 per case
LV260 Tychem® LV Jacket	LV670T Tychem® LV Jacket	Lakeland: Drawstring Hood DuPont: Mandarin Collar
LV450 Tychem® LV Encapsulated Level B, Rear Entry	LV527T Tychem® LV Encapsulated Level B, Front Entry	Lakeland: Rear Entry DuPont: Front Entry
LV980 Tychem® LV NFPA 1994 Class 3 Cert. Coverall w/Separate	DuPont does not offer an NFPA 1994 Class 3 garment at this time	
Hood	LV611T Tychem® LV NFPA 1994 Class 2 Cert. Coverall	Lakeland: NFPA 1994 Class 3, collar w/separate hood attached, Kevlar® / Viton® / Silver Shield® Gloves With Ring and Clamp Assembly DuPont: NFPA 1994 Class 2, Tight fit Respirator Hood, attached Neoprene /Ansell Barrier® gloves w/attached molded conical cuff for jam fit glove assembly
	If NFPA certification is not required, C3185T Tychem® CPF 3 Coverall option HM or HR	Lakeland: Tychem® LV fabric, NFPA 1994 Class 3 Cert. Coverall w/ Separate Hood, Collar (on coverall), Olive drab, Attached Kevlar® / Viton® / Silver Shield® Gloves With Ring and Clamp Assembly, Hood has Adjustable 1" Waist Belt DuPont: Tychem® CPF 3 fabric, Respirator Fit Hood, Tan, attached Neoprene / Ansell Barrier® gloves w/attached molded conical cuff for jam fit glove assembly
TK100 Tychem® TK Coverall	TK127T Tychem® TK Coverall	Lakeland: Collar, Open Wrist, Open Ankle, Single Storm Flap, 3 per Case DuPont: Standard Fit Hood, Elastic Wrist, Elastic Ankles, Double Storm Flap With Double Sided Adhesive Tape, 2/Case
	BR125T Tychem® BR Coverall	Lakeland: Tychem® TK fabric, Lime Yellow, Open Wrist, Open Ankle, Single Storm Flap, 3 per Case DuPont: Tychem® BR fabric, Yellow, Elastic Wrist, Elastic Ankle, Double Storm Flap With Double Sided Adhesive Tape, 2/Case
TK110 Tychem® TK Coverall	TK127T Tychem® TK Coverall	Lakeland: Collar, Single Storm Flap, 3 per Case DuPont: Standard Fit Hood, Double Storm Flap With Double Sided Adhesive Tape, 2 per Case
	BR125T Tychem® BR Coverall	Lakeland: Tychem® TK fabric, Lime Yellow, Single Storm Flap, 3 per Case DuPont: Tychem® BR fabric, Yellow, Double Storm Flap With Double Sided Adhesive Tape, 2 per Case

Lakeland Style	DuPont Style	Difference
TK115 Tychem® TK Coverall	TK127T Tychem® TK Coverall	Lakeland: Single Storm Flap, 3 per Case DuPont: Double Storm Flap With Double Sided Adhesive Tape, 2 per Case
TK130 Tychem® TK Coverall	TK127T Tychem® TK Coverall	Lakeland: Single Storm Flap, 3 per Case DuPont: Double Storm Flap With Double Sided Adhesive Tape, 2 per Case
TK140 Tychem® TK Coverall	TK128T Tychem® TK Coverall	Lakeland: Standard Fit Hood, Open Wrist, no Boot Flaps, Single Storm Flap, 3 per Case DuPont: Respirator Fit Hood, Elastic Wrist, Boot Flaps, Double Storm Flap With Double Sided Adhesive Tape, 2 per Case
TK150 Tychem® TK Coverall	TK128T Tychem® TK Coverall	Lakeland: Standard Fit Hood, no Boot Flaps, Single Storm Flap, 3 per Case DuPont: Respirator Fit Hood, Boot Flaps, Double Storm Flap With Double Sided Adhesive Tape, 2 per Case
TK155 Tychem® TK Expanded Back Coverall	TK527T Tychem® TK Encapsulated Level B, Front Entry	Lakeland: Expanded Back Coverall, Standard Fit Hood, no Boot Flaps, Single Storm Flap, 3 per Case DuPont: Encapsulated Level B, Front Entry, Boot Flaps, Double Storm Flap With Double Sided Adhesive Tape, 2 per Case
TK160 Tychem® TK Coverall	TK128T Tychem® TK Coverall	Lakeland: Standard Hood, Single Storm Flap, 3 per Case DuPont: Respirator Fit Hood, Double Storm Flap With Double Sided Adhesive Tape, 2 per Case
TK165 Tychem® TK Coverall	TK128T Tychem® TK Coverall	Lakeland: Double Storm Flap with Hook-and-Loop Closure, 3 per Case DuPont: 2 per Case
TK166 Tychem® TK Coverall	TK128T Tychem® TK Coverall	Lakeland: Elastic Ankles, Single Storm Flap, 3 per Case DuPont: Attached Socks and Boot Flaps, Double Storm Flap, 2 per Case
TK166 Tychem® TK Coverall	TK128T Tychem® TK Coverall	Lakeland: Elastic Ankles, Single Storm Flap, 3 per Case DuPont: Attached Socks and Boot Flaps, Double Storm Flap, 2 per Case
TK170 Tychem® TK Coverall	TK128T Tychem® TK Coverall	Lakeland: Standard Hood, Elastic Wrist with Splash Guards, Single Storm Flap, 3 per Case DuPont: Respirator Fit Hood, Double Storm Flap, 2/Case
TK250 Tychem® TK Jacket	LV670T Tychem® LV Jacket	Lakeland: Tychem® TK fabric, Collar, Lime Yellow DuPont: Tychem® LV fabric, Mandarin Collar, Olive drab
TK260 Tychem® TK Jacket	LV670T Tychem® LV Jacket	Lakeland: Tychem® TK fabric, Drawstring Hood, Lime Yellow DuPont: Tychem® LV fabric, Mandarin Collar, Olive drab

Lakeland Style	DuPont Style	Difference
TK300 Tychem® TK Pants	LV360T Tychem® LV Bib Overall	Lakeland: Tychem® TK fabric, Pants, Lime Yellow, Elastic Waist DuPont: Tychem® LV fabric, Bib Overall, Olive drab
TK320 Tychem® TK Bib Overall	LV360T Tychem® LV Bib Overall	Lakeland: Tychem® TK fabric, Lime Yellow DuPont: Tychem® LV fabric, Olive drab
TK400 Tychem® TK Encapsulating Level B, Rear Entry	Entry	Lakeland: Level B, 1 Ply Visor, Taped seams (outside only), Elastic Wrists, Single Storm Flap, 1 Exhaust Port with shroud, air tube inlet, Storage Bag not included DuPont: Expanded 3 Ply Visor, Taped Seams (Inside/Outside), Double Storm Flap, 2 Auer Exhaust Valves, Level A
	LV526T Tychem® LV Encapsulated	Lakeland: Lime Yellow, Single Storm Flap
TK440 Tychem® TK Encapsulated Level B, Front Entry	Level B, Rear Entry TK527T Tychem® TK Encapsulated Level B, Front Entry	DuPont: Olive drab, Double Storm Flap Lakeland: Single Storm Flap DuPont: Double Storm Flap
TK450 Tychem® TK Encapsulated Level B, Rear Entry	TK528T Tychem® TK Encapsulated Level B, Rear Entry	Lakeland: Single Storm Flap DuPont: Double Storm Flap
TK490 Tychem® TK Training Suit, Rear Entry	TK586T Tychem® TK Training Suit, Front Entry	Lakeland: Rear entry, Single Storm Flap DuPont: Front entry, Double Storm Flap
TK495 Tychem® TK Training Suit, Front Entry	TK586T Tychem® TK Training Suit, Front Entry	Lakeland: Single Storm Flap DuPont: Double Storm Flap
TK620 Tychem® TK Level A, Front Entry	TK552T Tychem® TK Level A, Front Entry	Lakeland: 1 Ply Visor, Taped Seams (Outside Only), no inner gloves DuPont: 3 Ply Visor, Taped Seams (Inside/Outside)
TK630 Tychem® TK Level A, Rear Entry	TK557T Tychem® TK Level A, Rear Entry	Lakeland: 1 Ply Visor, Taped Seams (Outside Only), no inner gloves DuPont: 3 Ply Visor, Taped Seams (Inside/Outside)
TK640 Tychem® TK Level A, Front Entry	TK554T Tychem® TK Level A, Front Entry	Lakeland: 2 Ply Visor, Attached Butyl / North Silver Shield® Gloves DuPont: 3 Ply Visor, Attached Butyl B 161 / Ansell Barrier® Gloves
TK640W Tychem® TK Level A, Front Entry	TK554T Tychem® TK Level A, Front Entry	Lakeland: 2 Ply Visor, Attached Butyl / North Silver Shield® Gloves DuPont: 3 Ply Visor, Attached Butyl B 161 / Ansell Barrier® Gloves
TK645 Tychem® TK NFPA 1991 Certified Level A Ensemble W/ Oversuit, Front Entry	TK600T Tychem® TK NFPA 1991 Certified Level A Ensemble W/ Oversuit, Front Entry	Lakeland: 2 Ply Visor, Attached One Glove System, 3 Exhaust Valves, Bata Hazmax Boots included DuPont: 3 Ply Visor, Attached Kevlar® / Neoprene / Ansell Barrier® Gloves, 4 Auer Exhaust Valves
TK645W Tychem® TK NFPA 1991 Certified Level A Ensemble W/ Oversuit Front Entry	TK600T Tychem® TK NFPA 1991 Certified Level A Ensemble W/ Oversuit, Front Entry	Lakeland: 2 Ply Visor, Attached One Glove System, 3 Exhaust Valves, Bata Hazmax Boots included DuPont: 3 Ply Visor, Attached Kevlar® / Neoprene / Ansell Barrier® Gloves, 4 Auer Exhaust Valves
TK648 Tychem® TK NFPA 1994 Class 2 Cert. Level A, Front Entry	TK612T Tychem® TK NFPA 1994 Class 2 Cert. Level A, Front Entry	Lakeland: 2 Ply Visor, Attached One Glove System, Silver Shield® Boot Flaps, 3 Exhaust Valves DuPont: 3 Ply Visor, Attached Neoprene / Ansell Barrier® Gloves, 2 Auer Exhaust Valves
TK648W Tychem® TK NFPA 1994 Class 2 Cert. Level A, Front Entry	TK612T Tychem® TK NFPA 1994 Class 2 Cert. Level A, Front Entry	Lakeland: 2 Ply Visor, Attached One Glove System, Silver Shield® Boot Flaps, 3 Exhaust Valves DuPont: 3 Ply Visor, Attached Neoprene / Ansell Barrier® Gloves, 2 Auer Exhaust Valves

Lakeland Style	DuPont Style	Difference
TK650 Tychem® TK Level A, Rear Entry	Entry	Lakeland: 2 Ply Visor, North Silver Shield® Gloves DuPont: 3 Ply Visor, Attached Butyl B 161 / Ansell Barrier® Gloves
TK650W Tychem® TK Level A, Rear Entry	Entry	Lakeland: 2 Ply Visor, North Silver Shield® Gloves DuPont: 3 Ply Visor, Attached Butyl B 161 / Ansell Barrier® Gloves
TK655 Tychem® TK NFPA 1991 Certified Level A Ensemble W/ Oversuit Rear Entry	TK601T Tychem® TK NFPA 1991 Certified Level A Ensemble W/ Oversuit, Rear Entry	Lakeland: 2 Ply Visor, Attached One Glove System, 3 Exhaust Valves, Bata Hazmax Boots included DuPont: 3 Ply Visor, Attached Kevlar® / Neoprene / Ansell Barrier® Gloves, 4 Auer Exhaust Valves
TK655W Tychem® TK NFPA 1991 Certified Level A Ensemble W/ Oversuit Rear Entry	TK601T Tychem® TK NFPA 1991 Certified Level A Ensemble W/ Oversuit, Rear Entry	Lakeland: 2 Ply Visor, Attached One Glove System, 3 Exhaust Valves, Bata Hazmax Boots included DuPont: 3 Ply Visor, Attached Kevlar® / Neoprene / Ansell Barrier® Gloves, 4 Auer Exhaust Valves
TK658 Tychem® TK NFPA 1994 Class 2 Cert. Level A, Rear Entry	TK613T Tychem® TK NFPA 1994 Class 2 Cert. Level A, Rear Entry	Lakeland: 2 Ply Visor, Attached One Glove System, Silver Shield® Boot Flaps, 3 Exhaust Valves DuPont: 3 Ply Visor, Attached Neoprene / Ansell Barrier® Gloves, 2 Auer Exhaust Valves
TK660 Tychem® TK Level A, Front Entry	Entry	Lakeland: 1 Ply Visor, Taped Seams (outside only), no internal gloves DuPont: 3 Ply Visor, Taped Seams (Inside/Outside), internal gloves
TK670 Tychem® TK Level A, Rear Entry	TK555T Tychem® TK Level A, Rear Entry	Lakeland: Standard 1 Ply Visor, Taped Seams (outside only), no internal gloves DuPont: 3 Ply Visor, Taped Seams (Inside/Outside), internal gloves
TK710 Tychem® TK Hood (no visor, small elastic opening. Similar to TY657S) Elastic Face Opening, Taped Seams, Lime Yellow, Shoulder Length, 12/Case	No Direct DuPont Equivalent	
TK714 Tychem® TK Hood	TK651T Tychem® TK Hood	Lakeland: 2" Hook-and-Loop Straps under arms with 4" hook side straps, 6 per Case DuPont: 2 per Case
TK730 Tychem® TK Apron, Rear Entry	No DuPont Equivalent	
TK735 Tychem® TK Bib Apron	No DuPont Equivalent	
TK740 Tychem® TK Boot Cover Elastic at Top, 12 pair per case	No DuPont Equivalent	
TK765 Tychem® TK Sleeve	No DuPont Equivalent	

This information is based upon technical data that DuPont believes to be reliable. It is subject to revision as additional knowledge and experience are gained. DuPont makes no guarantee of results and assumes no obligation or liability in connection with this information. It is user's responsibility to determine the level of toxicity and the proper personal protective equipment needed. It is intended for informational use by persons having technical skill for evaluation under their specific end-use conditions, at their own discretion and risk. Anyone intending to use this information should first verify that the garment selected is suitable for the intended use. If fabric becomes torn, abraded or punctured, end user should discontinue use of garment to avoid potential exposure to chemical. SINCE CONDITIONS OF USE ARE OUTSIDE OUR CONTROL, DUPONT MAKES NO WARRANTIES OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR USE AND ASSUME NO LIABILITY IN CONNECTION WITH ANY USE OF THIS INFORMATION.

This information is not intended as a license to operate under or a recommendation to infringe any trademark, patent or technical information of DuPont or others covering any material or its use.

Copyright © 2011 DuPont. The DuPont Oval Logo, DuPont*, The miracles of science**, Tyvek*, Tychem*, and Kevlar* are registered trademarks or trademarks of E.I. du Pont de Nemours and Company or its affiliates. All rights reserved.

Silver Shield® is a registered trademark of TriCon Environmental, Inc. Viton® is a registered trademark of DuPont Performance Elastomers. Barrier® is a registered trademark of Ansell Limited. ChemMAX® is a registered trademark of Lakeland Industries, Inc.

K-24589 (07/11) Printed in the U.S.A.

DuPont Personal Protection

Customer Service:

Canada 1-800-387-9326 Mexico (52) 55 57 22 1222 United States 1-800-931-3456

www.PersonalProtection.DuPont.com

